

Distinctive by design.

### Compact design for flexibility

Hygienic and ergonomic, B4 flourishes in all environments – from boardroom to sports hall. Its compact size, large dispense area for bottles, multiple water options and flexible configuration make it Borg & Overström's most popular model.

#### Reasons to choose

- Ultra-hygienic touch-sensitive control panel
- High capacity dispense area for bottles and jugs
- Sealed, hygienic, direct-chill cooling system
- Floorstanding option comes complete with an internal alarmed waste kit
- Unique countertop sparkling model



Distinctive by design.

04

Water system

Direct Chill

Configurations



Countertop



Floorstanding

Water options



Chilled



Hot



Ambient

Sparkling

Available colours



borgandoverstrom.com







Distinctive by design.



Power requirements Hertz 50/Volts 220-240
Chilled temperature Min 2°C/Max 11°C
Hot temperature Max 92°C
Throughput litres per hour Chilled & Sparkling 35/Hot of

B4 models

Countertop W320xD470xH415mm	Water system	Dispense height	Max power consumption	Silver	Black
Chilled & Ambient	Direct Chill	270mm	100VV	103510	103512
Chilled, Hot & Ambient	Direct Chill	270mm	600W	103520	103522
Chilled, Ambient & Sparkling	Direct Chill	270mm	150VV	103530	103532
Chilled, Hot & Sparkling	Direct Chill	270mm	650W	103540	103542
Floorstanding W320xD470xH1325mm				Silver	Black
Internal dimension - W280xD330xH830mm			Base cabinet	103910	103592

Distinctive by design.

